



Regulations PS 42.0 – Site Office

PCFC- Entity (Business Unit) Name : Trakhees – Ports, Customs & Free Zone Corporation

Department Name : Civil Engineering Department (CED)

Section Name : Permits Section (Facilities)

Document Reference Number : PCFC-TRK-CED-PS-REG-42

Revision Number : 00

Revision Date : October 2010

Classification : Public





Regulation DD-42.0: Site Office

- 42.1 NOC Letter stating allocation of plot/area with endorsed affection plan for site office from Client/Developer.
- 42.2 Inlet road of the plot should be hard paved and compacted using suitable road based material. Same should showing in relevant drawing(s).
- 42.3 Guidelines: Installation of diesel fired generator (if any) to be followed.
- 42.4 All electrical installations/fittings shall be fitted with ELCB's and properly earth as per DEWA regulations.
- 42.5 Drainage to be installed as per Chapter 3 General Requirement section – of EHS-Trakhees Design & Development Regulations.
- 42.6 Mess/Pantry, Toilet block to be provided with 8-10 air changes per hour.
- 42.7 Site office should be installed in such a manner so that while operating tower crane boom with load should not pass above the site office.
- 42.8 Provision for sanitation/rest room/dining/locker for the worker/staff shall be provided.
- 42.9 COC stage -1 shall be obtained from EHS-Construction Safety prior to the commencement of the project.